DRUG FACTS

Purpose Active ingredient(s)

Use(s)

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- · if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- · with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- · unexplained weight loss
- · nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

Stop use and ask a doctor if

- your heartburn continues or worsens
- · you need to take this product for more than 14 days

If pregnant or breast-feeding

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
- · do not swallow tablet whole: chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- · do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 320 mg; magnesium 65 mg
- Phenylketonurics: Contains Phenylalanine 2.2 mg per tablet
- read the directions and warnings before use
- · read the bottle label. It contains important information.
- store at 20°-25°C (68°-77°F)
- protect from moisture

Inactive ingredients

aspartame, D&C red no. 7 calcium, dextrates, FD&C blue no. 1 lake, FD&C red no. 40 lake, flavor, glyceryl monostearate, lactose anhydrous, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc